

Figure 1




Figure 2




Figure 3




Figure 4

General Purpose Transformers

Please select the following features:

Secondary (Load) Voltage: 208Y/120 Vac

Primary (Line) Voltage: 480 Vac

KVA Ratings: 75

Don't know your KVA Rating? [Calculate](#)

Catalog Number: 9T23B3874

Total List Price: \$5920.00

Features Selected:

- Line 480 Vac
- Load: 208Y/120 Vac
- Three Phase, 75 KVA
- 150" Ins. Aluminum
- Vented Application
- No Electrostatic Shield
- Taps: +2, -4, 2.5%
- DL 80 Hz
- 5.3% Impedance
- Stock

Accessories Selected:

By adding a Weather proof kit to your Transformer you can make it capable for outdoor applications

Not CUL or CE Approved

Features and Benefits

- General purpose GE Transformers meet all applicable NEMA, ANSI, UL and IEEE Standards
- GE Transformers are contained within a NEMA 2 drip-proof enclosure
- More information on General Purpose Transformers

Dimensions (inches): 35.73H x 32.03W x 23.68D x 50.9Lbs

Wiring Diagram

Figure 5




Figure 6

150




Figure 9

190

192

194

196

198

200

202

204

206

208

210

General Purpose Transformers

Features

Please select the following features:

Temp Rise:

Application:

Frequency:

Coil Material: ☒ Aluminum ☐ Copper

Electrostatic Shield: ☒ No ☐ Yes

Accessories

Catalog Number: 9T23E3874

Total List Price: \$5920.00

Features Selected:

- Line 480 Vac
- Load 208Y/120 Vac
- Three Phase 75 kVA
- 150° rise, Aluminum
- Vented Application
- No Electrostatic Shield
- Taps 12.4% 2.5%
- OL 90 Hz
- 5.3% Impedance
- Stock

Accessories Selected:

Wing Diagram

Dimensions (inches): 35.73H x 32.03W x 23.68D x 500lbs

1 By adding a Weather proof kit to your Transformer you can make it capable for outdoor applications

⚠ Not CUL or CE Approved

Features and Benefits

- General purpose GE Transformers meet all applicable NEMA, ANSI, UL and IEEE Standards
- QL Transformers are contained within a NEMA 2 drip-proof enclosure

More information on General Purpose Transformers

Figure 10





Figure 11

240



Instrument Transformers

Application Assistant
GE will recommend transformers to meet your needs!

- Indoor Current Instrument Transformer
- Outdoor Current Instrument Transformer
- Indoor Voltage Instrument Transformer
- Outdoor Voltage Instrument Transformer

Manufacturer's Cross Reference
Select from other Instrument Transformers manufacturers

242

244

Figure 12

250

252

Indoor Current Instrument Transformer

Rating and Construction

Please select the following features

254

256

258

260

262

264

266

GE Recommends:

Features Selected:

- Bit 10 kV
- Frequency 50-60 Hz
- Accuracy Others
- Assembly options without base plate

Indoor Current Selector

Leads to the Indoor current instrument transformer selector page

More information on Instrument Transformer

Privacy Policy | Terms of Use | Items of Sale © General Electric Company 1997 300V

Figure 13

Indoor Current Instrument Transformer

Application Information

Please select the following features

Rating Factor 133 ▾

Construction Window ▾

Size 1 1/2" diameter ▾

Current Ratio 75.5 ▾

GE recommends these Instrument Transformer(s) based on your selections


Catalog No	Price	Outline Drawing	Select
750X012027	\$90.00	9925178	

Figure 14




Figure 15

300

Outdoor Current Instrument Transformer

Please select the following features:

302 Bill kV

304 Frequency Hz

306 Accuracy

308 Assembly Options

310

312

Rating and Construction

GE Recommends:

Features Selected:

- Bill 10 kV
- Frequency 50-60 Hz
- Accuracy 0.3
- Assembly options without conduit box

314

[Continue](#)

Outdoor Current Selector

Leads to the Outdoor current instrument transformer selector page

More information on [Instrument Transformer](#)

Privacy Policy | Terms of Use | Terms of Sale | General Electric Company 1697 2014

Figure 16

Outdoor Current Instrument Transformer

Application Information

Please select the following features

322 Construction Windows

324

326 Size 11/18" diameter

328

330 Base with low base

332 Thermal Rating 40

Current Ratio 100 5

320

GE recommends these Instrument Transformer(s) based on your selections

Catalog No	Price	Outline Drawing	Select
750X034073	\$108.00	9930813	<input checked="" type="radio"/>
750X034074	\$112.00	9930814	<input checked="" type="radio"/>

Figure 17

Figure 17

342

344

346

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

Figure 18

Indoor Voltage Instrument Transformer

Rating and Construction

Please select the following features

352

Bill

N/A Auxiliary transformer

354

Frequency

50-60 Hz

356

Accuracy

Others

358

Primary Voltage

120 Volts

360

Features Selected:

- Bill N/A Auxiliary transformer
- Frequency 50-60 Hz
- Accuracy Others
- Primary Voltage 120

362

Indoor Voltage Selector

Leads to the Indoor voltage instrument transformer selector page

364

More information on Instrument Transformer

Privacy Policy | Terms of Use | Site | General Electric Company 1997-2007

Figure 19

Indoor Voltage Instrument Transformer

Application Information

Please select the following features:

372 Voltage Ratio 11

374 Fuses 0

376 Bushings none

378 Cable Options none

380

GE recommends these Instrument Transformer(s) based on your selections


Catalog No	Price	Outline Drawing	Select
760X090001	\$200.00	9688834	

Figure 20

Indoor Voltage IT Selector

Please select the Catalog Number

Catalog Numbers

- 760X090001
- 760X090002
- 760X090003
- 760X090004
- 760X090005
- 760X090006
- 760X090007
- 760X090008
- 760X090009
- 760X090010

Catalog Number: 760X090001

List Price: \$200.00

Features:

- Model JE-27
- BIL: N/A Auxiliary transformer kV
- Primary Voltage 69.4 kV
- Frequency 50-60 Hz
- Accuracy 1.2 W.X
- Thermal Rating 150 @30C, 100 @55C
- Current Ratio 0.578.1
- Go Schedule G088
- Weight: 9.25 pounds

(Click image to enlarge)

Outline Drawing

390

392

394

396

Figure 21




Figure 22

Outdoor Voltage Instrument Transformer

Application Information

Please select the following features:

422 Voltage Ratio

424 Conduit Box

426 ☐ one ☒ two

428 Cover ☐ no ☒ yes

420

GE recommends these Instrument Transformer(s) based on your selections.

Catalog No	Price	Outline Drawing	Select
761X030006	\$460.00	9925194	<input checked="" type="radio"/>

430

Figure 23





Figure 24



460


Figure 25

Please complete the required information			
*First/Last Name _____	How should OE contact you? <input type="checkbox"/> _____ <input checked="" type="checkbox"/> Phone Number _____ <input type="checkbox"/> Fax Number _____		
*Company _____	*E-mail Address _____		
*Street Address _____	*Project Name/P.O.# _____		
*City/State/Zip _____			
*Country _____			
Comments _____			
<p style="text-align: right;">DEL COPY ITEM MARKS QTY DESCRIPTION PRODUCT/CATALOG # LIST PRICE EXT PRICE</p> <hr/> <div style="float: left; width: 10%;"> 1 </div> <div style="float: left; width: 10%; border-left: 1px solid black;">OD IT 1</div> <div style="clear: both;"></div> <div style="margin-top: -15px; margin-left: 10px;">Outdoor Voltage</div> <ul style="list-style-type: none"> • Outdoor Voltage Transformer • Model JWM-150 • BIL 150 • Primary/Voltage 12000 • Frequency 60 • Accuracy 0.3 w/v% • RF_30 750 • Current Ratio 100 : 1 			

| **TOTAL LIST PRICE:** \$2095.00 | | | |

Privacy Policy | Terms & Conditions | 1997-2000 Universal Electronic Company

Figure 26



520

Figure 27

Core & Coil Transformer (Needs Assessment Page)

Core and Coil Transformer Selection

Please select the following features

Transformer Type

Casull

Open Core and Coil


General Purpose

522

524

526

GE Recommends:



Core and Coil Transformer

- Cased
- General Purpose

528

Configure Product

530

Features and Benefits

- Provide Quiet and Reliable Transformer Operation
- Epoxy Encapsulated
- Conform to NEMA ST20
- UL and C-UL listed

532

More information on Core and Coil Transformers

534

Figure 29
Core & Coil Transformer (Exception Message)




Figure 30
Core & Coil Transformer (Bill of Materials)

590

592

594

596

598

600

602

604

GE Industrial Systems

Please complete the required information

*First/Last Name How should GE contact you?

Company Phone Number

*Street Address Fax Number

*City/State/Zip *E-mail Address

Country Project Name/P.O.#

Comments

QTY	DESCRIPTION	CATALOG #	LIST PRICE	TOTAL PRICE
1	Core & Coil Transformer	9TS1B0002	\$0	\$0

To delete a line item Type "0" (zero) in the quantity field and click update

Submit Order Print

Contact Me Clear

TOTAL LIST PRICE: 0.00

Privacy Policy / Terms & Conditions